CUMULATIVE AUTHOR INDEX

Environmental Entomology,

Volume 17, 1988

Aioun, A., 275
Akey, D.H., 452
Allen, J.C., 621
Andersen, P.C., 13
Anderson, T.E., 140
Andow, D.A., 299
Andreadis, T.G., 709
Appel, A.G., 463, 778
Arakawa, K., 225, 483
Asman, S.M., 172
Atkinson, T.H., 259
Atkinson, T.H., 456
Axtell, R.C., 320, 739

Bacheler, J.E., 266, 271
Bacheler, J.S., 688
Backman, C.B., 778
Bailey, W.C., 679
Banks, H.T., 815
Barbosa, P., 476
Barclay, W.W., 299
Barnes, M.M., 488
Bassler, M.A., 7
Bauce, E., 671
Bay, D.E., 603
Bellinger, R.G., 936
Bellows, T.S. Jr., 225, 483
Benedict, J.H., 350, 921
Beregovoy, V.H., 59
Berger, L.A., 789
Boethel, D.J., 90
Boggs, K.W., 911
Boivin, G., 330
Bonjour, E.L., 926
Bostanian, N.J., 581
Boucias, D.G., 977
Bradley, J.R. Jr., 688
Buntin, G.D., 872
Buonaccorsi, J.P., 572
Burnham, K.P., 903

Calhoun, D.S., 727
Callihan, R.H., 785
Camp, B.J., 921
Carde, R.T., 764
Carlson, R.B., 238
Castanera, P., 596
Cave, R.D., 945
Chang, J.F., 921
Chi, H., 18, 26
Chiment, J.J., 782
Cho, J.J., 522
Cole, B.S., 770
Coleman, J.S., 207
Coleman, R.E., 448
Cone, W.W., 699, 878
Connor, M.D., 259
Coulson, R.N., 181, 192
Cross, E.A., 309
Curtice, N.J., 306

Dadd, R.H., 172
Daigle, C.J., 90
Daterman, G.E., 593
de los Santos, A., 799
Del Estal, P., 596
Dennis, B., 887
Diaz, L.R., 799
Dickerson, W.A., 903
Domek, J.M., 147
Douglass, L.W., 827
Dunkle, R.L., 120
Dysart, R.J., 409

Elkinton, J.S., 381, 385, 560, 764
Eller, F.J., 745, 977
Elliott, N.C., 166
Elmstrom, K.M., 299
Elsey, K.D., 496
Eskafi, F.M., 52

Fargo, W.S., 926
Farrar, C.A., 225
Fereres, A., 596
Ferro, D.N., 863, 941
Fescemyer, H.W., 213
Flaherty, D.L., 964
Flamm, R.O., 181, 192
Fleischer, S.J., 246, 533
Flint, H.M., 306
Foltz, J.L., 259, 456
Fry, J.D., 287
Frye, R.D., 238
Funderburk, J.E., 727

Furr, R.E., 1016
Fuxa, J.R., 90

Garcia-Salazar, C., 626
Gardner, W.A., 135
Gaugler, R., 546
Gaylor, M.J., 246, 533, 945
Geden, C.J., 320, 739
Gerhardt, R.R., 448
Getz, W.M., 18
Gillespie, J.M., 254
Gilreath, M.E., 730
Gonzalez, D., 551
Good, W.R., 911
Grant, G.G., 442
Grodowitz, M.J., 852
Gross, H.R., 470
Gross, H.R. Jr., 233
Guppy, J.C., 337
Gutierrez, C., 596

Hagan, D.V., 67
Hagstrum, D.W., 377
Hain, F.P., 63
Hammond, A.M., 213
Hammond, R.B., 109
Hammond, W.N.O., 894
Hanula, J.L., 694, 709
Harcourt, D.G., 337
Hardy, Y., 671
Hare, J.D., 715
Harkrider, J.R., 391
Hawthorne, D.J., 40
Hayes, J.L., 344
Heath, R.R., 47
Henneberry, T.J., 86, 254
Hennier, P.B., 181, 192
Higley, L.G., 679
Hoffmann, M.P., 964
Hogan, G.R., 770
Hopkins, A.R., 903
Hopper, K.R., 755
Horn, D.J., 354
Hough-Goldstein, J.A., 7
Hudes, E.S., 97
Hue, N.V., 533
Hughes, P.R., 782
Hull, L.A., 1000

Idoine, K., 941
Isenhour, D.J., 616

Jackson, J.J., 166
Janardan, K.G., 59
Johnson, D.T., 147
Jones, C.G., 207
Jones, V.P., 704
Jones, W.A., 275

Kaliszewski, M.J., 309
Kard, B.M.R., 63
Kareiva, P.M., 815
Kaya, H.K., 546
Kays, S.J., 691
Keating, S.T., 952
Kehat, M., 254
Kemp, W.P., 887
Kerns, D., 503
Kfir, R., 664
Khaemba, B.M., 542
Kimball, B.A., 452
King, E.G., 1016
Klein, M., 162
Kleinjan, J.E., 172
Knight, A.L., 1000
Kolodny-Hirsch, D.M., 127, 403
Krischik, V.A., 476
Kulman, H.M., 660

Lampman, R.L., 644
Lance, D.R., 649
Landolt, P.J., 47
Langor, D.W., 959
Larsen, K.J., 842
Laster, M.L., 1016
Lee, D.A., 220
Leggett, J.E., 903
Levine, E., 80
Lewis, W.J., 745
Liebhold, A.M., 381, 385, 560, 572
Lingren, P.D., 86, 254
Logan, J.A., 359, 863
Luck, R.F., 154

Mack, T.P., 778
MacMahon, J.A., 280
Macqueen, A., 603
Magnon, G.J., 67
Mailloux, G., 581
Malinoski, M.K., 75
Marrone, P.G., 832
Martin, F.G., 13
Martin, W.R. Jr., 930
Mastro, V.C., 649
Mauney, J.R., 452
McCaffrey, J.P., 785
McKibben, G.H., 852
McLean, D.L., 675, 988
McLeod, P., 587
McManus, M.L., 936
McNew, R., 503
Meagher, R.L., 377
Meloche, F., 337
Mendel, Z., 293
Meola, R.W., 930
Merritt, R.W., 199, 992
Merritt, S.J., 789
Metcalf, R.L., 644
Miller, D.R., 560
Mitchell, W.C., 522
Mizell, R.F. III, 13
Moffett, J.O., 789
Montes, C., 799
Morgan, P.W., 930
Murdock, L.L., 467

Naranjo, S.E., 508
Nation, J.L., 456
Neal, J.W. Jr., 827
Nechols, J.R., 427, 636
Neuenschwander, P., 894
Niemczyk, H.D., 855
Niwa, C.G., 593
Nordin, G.L., 35
Nyrop, J.P., 1019

ODell, T.M., 649
Okuda, M.S., 795
O'Neil, R.J., 821, 983
Onstad, D.W., 969
Oseto, C.Y., 685

Paine, T.D., 75
Pair, S.D., 254
Palaniswamy, P., 432
Park, S.O., 150
Parmenter, R.R., 280
Pawson, B.M., 398
Payne, J.A., 915
Payne, T.L., 921
Perring, T.M., 225
Peters, D.C., 503
Petersen, J.J., 398
Peterson, R.K.D., 679
Phillips, T.W., 456
Pickett, C.H., 551
Pinkham, J.D., 685
Planer, F.R., 903
Podoler, H., 626
Pomeroy, M.A., 467
Poprawski, T.J., 275
Puterka, G.J., 503

Qualset, C.O., 988

Raske, A.G., 959
Raulston, J.R., 254
Raupp, M.J., 316, 403
Ravlin, F.W., 936
Reardon, R.C., 403
Reichelderfer, C.F., 476
Reimer, N.J., 132
Riba, G., 275
Rice, M.E., 836
Roach, S.H., 903
Roberts, D.W., 140
Rock, G.C., 40, 266, 271
Roth, J.P., 603
Ruiz, S.M., 964

Sadof, C.S., 316
Sanderson, J.P., 488
Sartwell, C., 593
Savinelli, C.E., 688
Savopoulou-Soultani, M., 1
Sawyer, A.J., 508
Schmidt, K.M., 350

Schultz, B.B., 229
Schultz, J.C., 952
Schwalbe, C.P., 649
Severson, R.F., 691
Shade, R.E., 467
Sharkey, K.R., 660
Shasha, B.S., 120
Sheng, C.F., 755
Shoemaker, C.A., 97
Simmons, A.M., 527
Sjogren, R.D., 660
Smilanick, J.M., 964
Smith, A.W., 109
Smith, J.W. Jr., 730
Smith, L.B., 377
Smith, S.M., 1009
Son, K-C., 691
Soper, R.S., 140
Sower, L.L., 593
Starks, K.J., 59
Sterling, W.L., 629, 930
Stevens, L., 115
Stewart, S.D., 629
Stimac, J.L., 821, 983
Stinner, B.R., 109
Stinner, R.E., 40, 266, 271, 320
Storey, G.K., 135
Story, J.M., 911
Stoy, W.M., 238
Tabashnik, B.E., 522
Teare, I.D., 727
Thoeny, W.T., 35
Thorpe, K.W., 403
Timper, P., 546
Tolley, M.P., 855
Tracy, J.L., 636
Tran, M.T., 832
Trichilo, P.J., 778
Trimble, R.M., 567
Trumble, J.T., 722
Tumlinson, J.H., 745, 977
Turgeon, J.J., 442
Tzanakakis, M.E., 1
Ullman, D.E., 675, 988
Underhill, E.W., 432
Vaissiere, B.E., 789
Valovage, W.D., 238
Van Hamburg, H., 664
Villavaso, E.J., 852
Voss, R.H., 863
Wade, M.J., 115
Wagner, D.L., 608
Wagner, T.L., 181, 192
Walker, E.D., 199, 992
Walmsley, M.H., 350
Walton, R., 654
Wang, Y.S., 560
Wanjala, F.M.E., 542
Warner, W.B., 86, 254
Werren, J.H., 316
Whalon, M.E., 626, 842
Whitfield, J.B., 608
Wiesenborn, W.D., 722
Wilde, G.E., 836
Wilkening, A.J., 456
Wilkinson, R.C., 456
Wilson, D.D., 691
Wilson, F.D., 306
Wilson, L.T., 551, 964
Wood, B.W., 915
Wotton, R.S., 992
Wright, L.C., 699, 878
Wu, W., 192
Yeargan, K.V., 527, 795
Yendol, W.G., 952
Youngman, R.R., 488
Yu, D.S., 154
Yudin, L.S., 522
Zia, L., 815
Zvirgzdins, A., 254

CUMULATIVE KEY WORD INDEX

Environmental Entomology, Volume 17, 1988

Abscisic acid, *Castanea mollissima*, 915
  cytokinins, 915
Abscission, cotton, 629
  fruit, 629
Acalymma, *Diabrotica*, 496
  squash, 496
Acari, net fecundity rate, 488
  sex ratio, 488
  survivorship, 488
Acarina, fecundity, 715
  nitrogen, 715
  varietal differences, 715
Action thresholds, strawberries, 581
  tarnished plant bugs, 581
Actograph, Circadian rhythm, 649
  disparlure, 649
Adult emergence, adult mortality, 508
  dispersal, 508
Adult mortality, adult emergence, 508
  dispersal, 508
Adult size, carbohydrates, 213
  lipids, 213
Aggregation, nearest neighbor, 992
  population density, 992
Agromyza frontella, biological control, 337
  Dacnusa dryas, 337
Air pollution, antioxidants, 782
  host quality, 782
Anasa tristis, biological control, 636
  diapause, 427
  Ooencyrtus, 636
  photoperiod, 427
Anastrepha spp., *Ceratitis capitata*, 52
  citrus fruit fly cultivar preference, 52
Anthonomus grandis, effluvial collection method, 921
  flight mills, 852
  grandlure, 921
  insect flight, 852
Antibiotics, genetic variation, 115
  Tribolium, 115
Antioxidants, air pollution, 782
  host quality, 782
Aphid probing behavior, barley yellow dwarf virus, 988
  host plant resistance, 988
Arachnida, biological control, 1019
  body water, 778
  buffalo flies, 603
  Carcinops pumilio, 739
  environmental trigger, 309
  functional responses, 983
  genetic variation, 287
  Haematobia irritans exigua, 603
  host resistance, 287
  house flies, 739
  Macrocheles muscaedomesticae, 739
  mite ethology, 309
  mite polymorphism, 309
  nitrogen, 964
  phoretic predacious mites, 603
  predation, 821
  predator foraging, 1019
  predator search, 983
  predator-prey dynamics, 1019
  predators, 778
  spider mites, 964
  survival, 778
  tomatoes, 287
Argyrotaenia velutinana, phenology, 40
  redbanded leafroller, 40
Artificial augmentation, frass size, 381
  frass trap, 381
Artificial diet, gut bacteria, 832
  southern corn rootworms, 832
Asparagus aphids, parasitoids, 878
  seasonal development, 878
Attractants, Chrysomelidae, 644
  Diabrotica, 644
  papaya fruit fly, 47
  pheromones, 47
  pine beetles, 456
  terpenes, 456
Automatic insecticide applications, economics, 755
  integrated pest management, 755
Average function, development, 621
  distributed variables, 621

Bacillus thuringiensis, encapsulation, 120
  European corn borer, 120
Bacteria, *Delia platura*, 7
  oviposition stimulants, 7
Bark beetles, *Ips avulsus*, 192
  residence time, 192
Barley yellow dwarf virus, aphid probing behavior, 988
  host plant resistance, 988
Beauveria bassiana, *Leptinotarsa decemlineata*, 140
  potatoes, 140
Beet armyworms, entomopathogenic nematodes, 546
  Nematoda, 546
Beetles, predation, 280
  rodents, 280
Behavior, cotton, 350
  flight tunnels, 432
  Heliothis, 350
  moths, 432
Biocontrol, dispersal, 398
  entomophthora, 238
  fungi, 238
  house fly, 320
  parasitoids, 398
  predation, 320
Biological control, *Agromyza frontella*, 337
  Anasa tristis, 636
  Arachnida, 1019
  brachyptery, 470
  Cildemia hirta, 132
  competition, 977
  Dacnusa dryas, 337
  Liothrips urichi, 132
  Lymantria dispar, 403
  natural enemy introduction, 409
  Ooencyrtus, 636
  parasitism, 403
  parasitoids, 470, 894, 977
  predator foraging, 1019
  predator-prey dynamics, 1019
  Schizaphis graminum, 836
Biological indicator, survivals, 150
  threshold, 150
Biological weed control, cochineal, 730
  herbicides, 785
  integrated weed control, 785
  pricklypears, 730
Biology, ecology, 799
Biophysical modeling, degree-days, 926
  poikilotherm, 926
Biotypes, electronic feeding monitors, 503
  Schizaphis graminum, 503
Bluegrass, small grains, 59
  sorghum, 59
Body water, Arachnida, 778
  predators, 778
  survival, 778
Boll weevils, emergence, 903
  traps, 903
Bombus, hybrid cotton, 789
  pollination, 789
Bootstrap, jackknife, 572
  sample sizes, 572
Botrytis cinerea, fungus, 1
  Lobesia botrana, 1
Brachycorynella asparagi, foliage age, 699
  intrinsic rate of increase
Brachyptery, biological control, 470
  parasitoids, 470
Bruchids, inhibitors, 467
  proteinases, 467
Buffalo flies, Arachnida, 603
  Haematobia irritans exigua, 603
  phoretic predacious mites, 603

Campoletis sonorensis, *Rogas laphygmae*, 616
Carbohydrates, adult size, 213
  lipids, 213
Carbon/nitrogen ratio, photosynthesis, 452
  seed damage, 452
Carcinops pumilio, Arachnida, 739
  house flies, 739
  Macrocheles muscaedomesticae, 739
Castanea mollissima, abscisic acid, 915
  cytokinins, 915
Ceratitis capitata, *Anastrepha* spp., 52
  citrus fruit fly cultivar preference, 52
Choristoneura, dispersal, 1009
  parasitism, 1009
Chorisconeura fumiferana, model, 97
  phenology, 97
Chrysomelidae, attractants, 644
  Diabrotica, 644
Chrysopidae, intercropping, 229
  oviposition, 229
Circadian rhythm, actograph, 649
  disparlure, 649
Citrus fruit fly cultivar preference, *Anastrepha* spp., 52
  Ceratitis capitata, 52

Clidemia hirta, biological control, 132
Liothrips urichi, 132
Cochineal, biological weed control, 730
pricklypear, 730
Coleoptera, flight patterns, 259
selenium medium, 770
slash pine, 259
Colonization, oviposition, 863
phenology, 863
Colony-forming units, soil, 135
vertical movement, 135
Competition, biological control, 977
egg parasites, 664
ozone, 207
parasitoids, 977
plant stress, 207
temperature effects, 664
Convection-diffusion models, parameter identification, 815
Corn, distribution patterns, 221
European corn borer, 221
Cotesia melanoscela, *Lymantria dispar*, 127
mass rearing, 127
Cotton, abscission, 629
behavior, 350
Frankliniella occidentalis, 551
fruit, 629
Geocoris punctipes, 945
Geocoris uliginosus, 945
Heliothis, 350
host plant resistance, 306
host preference, 688
natural control, 551
Ostrinia nubilalis, 688
pink bollworm, 306
Cover crops, soybean insects, 109
tillage, 109
Crop colonization, *Erigeron annuus*, 533
movement, 533
Culex tarsalis, essential fatty acids, 172
nutrition, 172
Culicoides, population dynamics, 67
seasonal abundance, 67
Cylas formicarius elegantulus, *Ipomoea batatas* periderm, 691
oviposition stimulant, 691
Cynodon dactylon, optimal samples, 872
Cytokinins, abscisic acid, 915
Castanea mollissima, 915

Dacnusa dryas, *Agromyza frontella*, 337
biological control, 337
Damage, impact, 560
sampling, 560
Degree-day model, flight prediction, 75
Rhyacionia frustrana, 75
Degree-days, biophysical modeling, 926
insect plant relationship, 330
poikilotherm, 926
Delayed mating, egg production, 86
Pectinophora gossypiella, 86
Delia platura, bacteria, 7
oviposition stimulants, 7
Demography, *Erigeron annuus*, 246
vital rates, 246
Development, average function, 621
distributed variables, 621
growth, 527
Ips avulsus, 181
modeling, 266
mortality, 181
phenology, 266, 316, 887
Stephanitis pyrioides, 827
stochastic modeling, 887
survivorship, 316, 527
temperature, 827
Developmental rates, modeling, 154
parasites, 154
Developmental time, larval development, 166
thermal threshold, 166
Diabrotica, *Acalymma*, 496
attractants, 644
Chrysomelidae, 644
squash, 496
Diapause, *Anasa tristis*, 427
diapause induction, 626
Hydraecia immanis, 80
photoperiod, 427
supercomputers, 969
temperature effects, 626
thermal requirements, 80
weather, 969
Diapause induction, diapause, 626
temperature effects, 626
Diel patterns, flight, 225
sweetpotato whitefly, 225
Diplopoda, garden millipedes, 463
Oxidus gracilis, 463
water relations, 463
Dirphya nigricornis, mating, 542
oviposition, 542
Disparlure, actograph, 649
circadian rhythm, 649
Dispersal, adult emergence, 508
adult mortality, 508
biocontrol, 398
Choristoneura, 1009
intercropping, 299
Phyllotreta cruciferae, 299
parasitism, 1009
parasitoids, 398
Distributed variables, average function, 621
development, 621
Distribution patterns, corn, 221
European corn borer, 221
Drainage, food quality, 671
spruce budworms, 671

Ecology, biology, 799
Economics, automatic insecticide applications, 755
integrated pest management, 755
Edovum puttleri, egg parasitoids, 941
Leptinotarsa decemlineata, 941
Effluvial collection method, *Anthonomus grandis*, 921
grandlure, 921
Egg parasites, competition, 664
temperature effects, 664
Egg parasitoids, *Edovum puttleri*, 941
Leptinotarsa decemlineata, 941
Egg production, delayed mating, 86
Pectinophora gossypiella, 86
Eggs, oviposition, 587
snap beans, 587
Electronic feeding monitors, biotypes, 503
Schizaphis graminum, 503
Emergence, boll weevils, 903
traps, 903
Emergence dynamics, reproductive development, 254
sex ratios, 254
Emergence phenologies, *Heliothis* spp., 344
host crops, 344
Encapsulation, *Bacillus thuringiensis*, 120
European corn borer, 120
Entomogenous fungi, genetic variability, 275
geographical polymorphism, 275
Entomopathogenic nematodes, beet armyworms, 546
Nematoda, 546
Entomophthora, biocontrol, 238
fungi, 238
Environmental factors, *Musca autumnalis*, 448
regurgitation, 448
Environmental trigger, Arachnida, 309
mite ethology, 309
mite polymorphism, 309
Erigeron annuus, crop colonization, 533
demography, 246
movement, 533
vital rates, 246
Essential fatty acids, *Culex tarsalis*, 172
nutrition, 172
European corn borer, *Bacillus thuringiensis*, 120
corn, 221
distribution patterns, 221
encapsulation, 120
(E)-9-tetradecenyl acetate, trapping efficacy, 442
Zeiraphera canadensis, 442

Fecundity, Acarina, 715
nitrogen, 715
varietal differences, 715
Feeding attraction, fruit, 147
Latin cube, 147
Flight, diel patterns, 225
sweetpotato whitefly, 225
Flight mills, *Anthonomus grandis*, 852
insect flight, 852
Flight patterns, Coleoptera, 259
slash pine, 259
Flight prediction, degree-day model, 75
Rhyacionia frustrana, 75
Flight tunnels, behavior, 432
moths, 432
parasitoids, 745
volatile attractants, 745
Foliage age, *Brachycorynella asparagi*, 699
intrinsic rate of increase, 699
Food quality, drainage, 671
spruce budworms, 671
Frankliniella occidentalis, cotton, 551
natural control, 551
Frass size, artificial augmentation, 381
frass traps, 381
Frass traps, artificial augmentation, 381
frass size, 381
Fruit, abscission, 629
cotton, 629
feeding attraction, 147
Latin cube, 147
Functional responses, Arachnida, 983
predator search, 983
Fungi, biocontrol, 238
entomophthora, 238
Fungus, *Botrytis cinerea*, 1
Lobesia botrana, 1

Garden millipedes, Diplopoda, 463
Oxidus gracilis, 463
water relations, 463
Genetic variability, entomogenous fungi, 275
geographical polymorphism, 275
Genetic variation, antibiotics, 115
Arachnida, 287
ghost resistance, 287
tomatoes, 287
Tribolium, 115

Geocoris punctipes, cotton, 945
Geocoris uliginosus, 945
Geocoris uliginosus, cotton, 945
Geocoris punctipes, 945
Geographical polymorphism, entomogenous fungi, 275
genetic variability, 275
Grandlure, *Anthonomus grandis*, 921
effluvial collection method, 921
Green cloverworm, soybeans, 90
Vicia spp., 90
Growth, development, 527
survivorship, 527
Growth models, nursery stock, 13
pecan bud moth, 13
Gut bacteria, artificial diet, 832
southern corn rootworms, 832

Habitat partitioning, *Telenomus podisi*, 795
Trissolcus euschisti, 795
Habitat selection, plant-insect interactions, 654
predator avoidance, 654
Haematobia irritans exigua, Arachnida, 603
buffalo flies, 603
phoretic predacious mites, 603
Helianthus annuus, life tables, 685
Smicronyx fulvus, 685
Heliothis, behavior, 350
cotton, 350
Heliothis spp., emergence phenologies, 344
host crops, 344
Heliothis zea, optimal oviposition theories, 722
parasitism, 233
Spodoptera frugiperda, 233
Herbicides, biological weed control, 785
integrated weed control, 785
Host crops, emergence phenologies, 344
Heliothis spp., 344
Host plant effects, oviposition substrates, 936
Host plant resistance, aphid probing behavior, 988
barley yellow dwarf virus, 988
cotton, 306
pink bollworm, 306
Host preference, cotton, 688
Ostrinia nubilalis, 688
thrips, 522
tomato spotted wilt virus, 522
Host quality, air pollution, 782
antioxidants, 782
Host ranges, life histories, 608
parasitoids, 608
Host resistance, Arachnida, 287
genetic variation, 287
tomatoes, 287
Host selection, pear decline vectors, 675
winter-form psylla, 675
House flies, Arachnida, 739
biocontrol, 320
Carcinops pumilio, 739
Macrocheles muscaedomesticae, 739
predation, 320
Hybrid cotton, *Bombus*, 789
pollination, 789
Hybrids, mating compatibility, 1016
sterility, 1016
Hydraecia immanis, diapause, 80
thermal requirements, 80
Hydrolyzable tannins, insect-host plant interactions, 952
leaf pH, 952
Hyperparasitism, parasitoids, 354
tillage, 354

Impact, damage, 560
sampling, 560
Inhibitors, bruchids, 467
proteinases, 467
Insect dietetics, insect genotypes, 727
Nezara viridula, 727
Insect flight, *Anthonomus grandis*, 852
flight mills, 852
Insect genotypes, insect dietetics, 727
Nezara viridula, 727
Insect pathology, multi-trophic-level interactions, 476
resistant plants, 476
Insect plant relationship, degree days, 330
Insect-host plant interactions, hydrolyzable tannins, 952
leaf pH, 952
Insect-plant interactions, polygalacturonase, 930
Integrated pest management, automatic insecticide applications, 755
economics, 755
Integrated weed control, biological weed control, 785
herbicides, 785
Intercropping, Chrysopidae, 229
dispersal, 299
oviposition, 229
Phyllotreta cruciferae, 299
Intrinsic rate of increase, *Brachycorynella asparagi*, 699
foliage age, 699
Ipomoea batatas periderm, *Cylas formicarius elegantulus*, 691
oviposition stimulant, 691
Ips avulsus, bark beetles, 192
development, 181
mortality, 181
residence time, 192

Jackknife, bootstrap, 572
sample sizes, 572

Larval development, developmental time, 166
thermal threshold, 166
Latin cube, feeding attraction, 147
fruit, 147
Leaf detritus, nutrients, 199
treeholes, 199
Leaf pH, hydrolyzable tannins, 952
insect-host plant interactions, 952
Leptinotarsa decemlineata, *Beauveria bassiana*, 140
Edovum puttleri, 941
egg parasitoids, 941
potatoes, 140
Life histories, host ranges, 608
parasitoids, 608
Life tables, *Helianthus annuus*, 685
mortality, 959
parasitoids, 959
Phthorimaea operculella, 18, 26
reproduction, 18, 26
Smicronyx fulvus, 685
Liothrips urichi, biological control, 132
Clidemia hirta, 132
Lipids, adult size, 213
carbohydrates, 213
Lobesia botrana, *Botrytis cinerea*, 1
fungus, 1
Lures, *Rhagoletis pomonella*, 704
trapping, 704
Lymantria dispar, biological control, 403
Cotesia melanoscela, 127
mass rearing, 127
parasitism, 403
pheromones, 764
trap interaction, 764

Macrocheles muscaedomesticae, Arachnida, 739
Carcinops pumilio, 739
house flies, 739
Mark-release, movement, 842
X-disease, 842
Mass rearing, *Cotesia melanoscela*, 127
Lymantria dispar, 127
Mating, *Dirphya nigricornis*, 542
oviposition, 542
Mating compatibility, hybrids, 1016
sterility, 1016
Mating disruption, pheromones, 593
Rhyacionia zozana, 593
Mermithids, parasitism, 391
Simulium, 391
Microorganisms, parasites, 709
Scarabaeidae, 709
Migration, ovarian dynamics, 679
Syngrapha falcifera, 679
Mite ethology, Arachnida, 309
environmental trigger, 309
mite polymorphism, 309
Mite polymorphism, Arachnida, 309
environmental trigger, 309
mite ethology, 309
Models, *Choristoneura fumiferana*, 97
pest management, 271
phenology, 97
temperature, 271
Modeling, development, 266
developmental rates, 154
parasites, 154
phenology, 266
stored grain insects, 377
Mortality, development, 181
Ips avulsus, 181
life tables, 959
parasitoids, 959
Mosquito larvae, *Phalaris arundinacea*, 660
vegetation, 660
Moths, behavior, 432
flight tunnels, 432
Movement, crop colonization, 533
Erigeron annuus, 533
mark-release, 842
X-disease, 842
Multi-trophic-level interactions, insect pathology, 476
resistant plants, 476
Musca autumnalis, environmental factors, 448
regurgitation, 448

Natural control, cotton, 551
Franklinella occidentalis, 551
Natural enemy introduction, biological control, 409
Nearest neighbor, aggregation, 992
population density, 992
Nematoda, beet armyworms, 546
entomopathogenic nematodes, 546
Net fecundity rate, Acari, 488
sex ratio, 488
survivorship, 488
Nezara viridula, insect dietetics, 727
insect genotypes, 727
Nitrogen, Acarina, 715
Arachnida, 964
fecundity, 715
spider mites, 964
varietal differences, 715
Nourishment, parasitoids, 293
temperature, 293
Nursery stock, growth models, 13
pecan bud moth, 13

Nutrients, leaf detritus, 199
treeholes, 199
Nutrition, *Culex tarsalis*, 172
essential fatty acids, 172

Ooencyrtus, Anasa tristis, 636
biological control, 636
Optimal oviposition theories, *Heliothis zea*, 722
Optimal samples, *Cynodon dactylon*, 872
Oscinella frit, ovaries, 855
seasonal occurrence, 855
Ostrinia nubilalis, cotton, 688
host preference, 688
Otiorhynchus sulcatus, oviposition preference, 694
Taxus cuspidata, 694
Ovarian dynamics, migration, 679
Syngrapha falcifera, 679
Ovaries, *Oscinella frit*, 855
seasonal occurrence, 855
Oviposition, Chrysopidae, 229
colonization, 863
Diraphya nigricornis, 542
eggs, 587
intercropping, 229
mating, 542
phenology, 863
snap beans, 587
Oviposition preference, *Otiorhynchus sulcatus*, 694
Taxus cuspidata, 694
Oviposition stimulants, bacteria, 7
Cylas formicarius elegantulus, 691
Delia platura, 7
Ipomoea batatas periderm, 691
Oviposition substrates, host plant effects, 936
Oxidus gracilis, Diplopoda, 463
garden millipede, 463
water relations, 463
Ozone, competition, 207
plant stress, 207

Papaya fruit flies, attractant, 47
pheromones, 47
Parameter identification, convection-diffusion models, 815
Parasites, developmental rates, 154
microorganisms, 709
modeling, 154
Scarabaeidae, 709
spatial distribution, 567
trapping, 567
Parasitism, biological control, 403
Choristoneura, 1009
dispersal, 1009
Heliothis zea, 233
Lymantria dispar, 403
mermithids, 391
Simulium, 391
Spodoptera frugiperda, 233
sweetpotato whiteflies, 483
Parasitoids, asparagus aphids, 878
biocontrol, 396
Parasitoids, biological control, 470, 894, 977
brachyptery, 470
competiton, 977
dispersal, 398
flight tunnels, 745
host ranges, 608
hyperparasitism, 354
life histories, 608
life tables, 959
mortality, 959
nourishment, 293
seasonal development, 878
temperature, 293
tillage, 354
volatile attractants, 745
Pear decline vectors, host selection, 675
winter-form psylla, 675
Pecan bud moth, growth models, 13
nursery stock, 13
Pectinophora gossypiella, delayed mating, 86
egg production, 86
Pest management, model, 271
phenology, 359
simulation, 359
temperature, 271
Phalaris arundinacea, mosquito larvae, 660
vegetation, 660
Phenology, *Argyrotaenia velutinana*, 40
Choristoneura fumiferana, 97
colonization, 863
development, 266, 316, 887
model, 97
modeling, 266
oviposition, 863
pest management, 359
redbanded leafroller, 40
reproduction, 35
Robinia pseudoacacia L., 35
simulation, 359
stochastic modeling, 887
survivorship, 316
Pheromone traps, regional population dynamics, 1000
tufted apple bud moths, 1000
Pheromones, attractant, 47
Lymantria dispar, 764
mating disruption, 593
papaya fruit fly, 47
Rhyacionia zozana, 593
trap interaction, 764
Phoretic predacious mites, Arachnida, 603
buffalo flies, 603
Haematobia irritans exigua, 603
Photoperiod, *Anasa tristis*, 427
diapause, 427
thermoperiod, 162
Photosynthesis, carbon/nitrogen ratio, 452
seed damage, 452
Phthorimaea operculella, life tables, 18, 26
reproduction, 18, 26
Phyllophaga, Polyphylla, 63
white grubs, 63
Phyllotreta cruciferae, dispersal, 299
intercropping, 299
Pine beetles, attractants, 456
terpenes, 456
Pink bollworms, cotton, 306
host plant resistance, 306
Plant stress, competition, 207
ozone, 207
Plant-insect interactions, habitat selection, 654
predator avoidance, 654
Poikilotherm, biophysical modeling, 926
degree-days, 926
Pollination, *Bombus*, 789
hybrid cotton, 789
Polygalacturonase, insect-plant interactions, 930
Polyphylla, Phyllophaga, 63
white grubs, 63
Population density, aggregation, 992
nearest neighbor, 992
Population dynamics, *Culicoides*, 67
sample size, 385
seasonal abundance, 67
statistics, 385
Potatoes, *Beauveria bassiana*, 140
Leptinotarsa decemlineata, 140
Predation, Arachnida, 821
beetles, 280
biocontrol, 320
house flies, 320
rodents, 280
Predator avoidance, habitat selection, 654
plant-insect interactions, 654
Predator foraging, Arachnida, 1019
biological control, 1019
predator-prey dynamics, 1019
Predator search, Arachnida, 983
functional responses, 983
Predator-prey dynamics, Arachnida, 1019
biological control, 1019
predator foraging, 1019
Predators, Arachnida, 778
body water, 778
survival, 778
Prickly pears, biological weed control, 730
cochineal, 730
Proteinases, bruchids, 467
inhibitors, 467

Redbanded leafroller, *Argyrotaenia velutinana*, 40
phenology, 40
Regional population dynamics, pheromone traps, 1000
tufted apple bud moths, 1000
Regurgitation, environmental factors, 448
Musca autumnalis, 448
Reproduction, life tables, 18, 26
phenology, 35
Phthorimaea operculella, 18, 26
Robinia pseudoacacia L., 35
Reproductive development, emergence dynamics, 254
sex ratios, 254
Residence time, bark beetles, 192
Ips avulsus, 192
Resistant plants, insect pathology, 476
multi-trophic-level interactions, 476
Rhagoletis pomonella, lures, 704
trapping, 704
Rhyacionia frustrana, degree-day model, 75
flight prediction, 75
Rhyacionia zozana, mating disruption, 593
pheromones, 593
Robinia pseudoacacia L., phenology, 35
reproduction, 35
Rodents, beetles, 280
predation, 280
Rogas laphygmae, Campoletis sonorensis, 616

Sample sizes, bootstrap, 572
jackknife, 572
population dynamics, 385
statistics, 385
Sampling, damage, 560
impact, 560
Scarabaeidae, microorganisms, 709
parasites, 709
Schizaphis graminum, biological control, 836
biotypes, 503
electronic feeding monitors, 503
Seasonal abundance, *Culicoides*, 67
population dynamics, 67
Seasonal development, asparagus aphids, 878
parasitoids, 878
Seasonal occurrence, *Oscinella frit*, 855
ovaries, 855

Seed damage, carbon/nitrogen ratio, 452
photosynthesis, 452
Selenium medium, Coleoptera, 770
Sex ratios, Acari, 488
emergence dynamics, 254
net fecundity rate, 488
reproductive development, 254
survivorship, 488
Simulation, pest management, 359
phenology, 359
Simulium, mermithids, 391
parasitism, 391
Slash pine, Coleoptera, 259
flight patterns, 259
Small grains, bluegrass, 59
sorghum, 59
Smicronyx fulvus, *Helianthus annuus*, 685
life tables, 685
Snap beans, eggs, 587
oviposition, 587
Soil, colony-forming units, 135
vertical movement, 135
Sorghum, bluegrass, 59
small grains, 59
Southern corn rootworms, artificial diet, 832
gut bacteria, 832
Soybean insects, cover crops, 109
tillage, 109
Soybeans, green cloverworm, 90
Vicia spp., 90
Spatial distribution, parasites, 567
trapping, 567
Spider mites, Arachnida, 964
nitrogen, 964
Spodoptera frugiperda, *Heliothis zea*, 233
parasitism, 233
Spruce budworms, drainage, 671
food quality, 671
Squash, *Acalymma*, 496
Diabrotica, 496
Statistics, population dynamics, 385
sample size, 385
Stephanitis pyrioides, development, 827
temperature, 827
Sterility, hybrids, 1016
mating compatibility, 1016
Stochastic modeling, development, 887
phenology, 887
Stored grain insects, modeling, 377
Strawberries, action thresholds, 581
tarnished plant bugs, 581
Survival, Arachnida, 778
body water, 778
predators, 778
Survivals, biological indicator, 150
threshold, 150
Survivorship, Acari, 488
development, 316, 527
growth, 527
net fecundity rate, 488
phenology, 316
sex ratio, 488
Sweetpotato whiteflies, diel patterns, 225
flight, 225
parasitism, 483
Synergism, water potential, 596
water stress, 596
Syngrapha falcifera, migration, 679
ovarian dynamics, 679

Tarnished plant bugs, action thresholds, 581
strawberries, 581
Taxus cuspidata, *Otiorhynchus sulcatus*, 694
oviposition preference, 694
Telenomus podisi, habitat partitioning, 795
Trissolcus euschisti, 795
Temperature, development, 827
model, 271
nourishment, 293
parasitoids, 293
pest management, 271
Stephanitis pyrioides, 827
Temperature effects, competition, 664
diapause, 626
diapause induction, 626
egg parasites, 664
Terpenes, attractants, 456
pine beetles, 456
Thermal requirements, diapause, 80
Hydraecia immanis, 80
Thermal threshold, developmental time, 166
larval development, 166
Thermoperiod, photoperiod, 162
Threshold, biological indicator, 150
survivals, 150
Thrips, host preference, 522
tomato spotted wilt virus, 522
Tillage, cover crops, 109
hyperparasitism, 354
parasitoids, 354
soybean insects, 109
Tomato spotted wilt virus, host preference, 522
thrips, 522
Tomatoes, Arachnida, 287
genetic variation, 287
host resistance, 287
Trap interaction, *Lymantria dispar*, 764
pheromones, 764
Trapping, lures, 704
parasites, 567
Rhagoletis pomonella, 704
spatial distribution, 567
Trapping efficacy, (E)-9-tetradecenyl acetate, 442
Zeiraphera canadensis, 442
Traps, boll weevils, 903
emergence, 903
Treeholes, leaf detritus, 199
nutrients, 199
Tribolium, antibiotics, 115
genetic variation, 115
Trissolcus euschisti, habitat partitioning, 795
Telenomus podisi, 795
Tufted apple bud moths, pheromone traps, 1000
regional population dynamics, 1000

Urophora affinis, *Urophora quadrifasciata*, 911
2,4-D, 911
Urophora quadrifasciata, *Urophora affinis*, 911
2,4-D, 911

Varietal differences, Acarina, 715
fecundity, 715
nitrogen, 715
Vegetation, mosquito larvae, 660
Phalaris arundinacea, 660
Vertical movement, colony-forming units, 135
soil, 135
Vicia spp., green cloverworm, 90
soybeans, 90
Vital rates, demography, 246
Erigeron annuus, 246
Volatile attractants, flight tunnels, 745
parasitoids, 745

Water potential, synergism, 596
water stress, 596
Water relations, Diplopoda, 463
garden millipedes, 463
Oxidus gracilis, 463
Water stress, synergism, 596
water potential, 596
Weather, diapause, 969
supercomputers, 969
White grubs, *Phyllophaga*, 63
Polyphylla, 63
Winter-form psylla, host selection, 675
pear decline vectors, 675

X-disease, mark-release, 842
movement, 842

Zeiraphera canadensis, (E)-9-tetradecenyl acetate, 442
trapping efficacy, 442

2,4-D, *Urophora affinis*, 911
Urophora quadrifasciata, 911